

Compal Confidential

KAWF0/KAWH0 M/B Schematics Document Intel Penryn Processor with Cantiga + DDRII + ICH9M


2009-01-21

REV:1.0

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHEMATIC, M/B A4851	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401636	Rev D
				Date:	Monday, February 09, 2009	Sheet 1 of 45

Compal Confidential

Model Name : KAWF0/KAWH0
File Name : LA-4851P
P/N : DA600009500 (RVE0)
P/N : DA600009510 (RVE1)



Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHEMATIC, M/B A4851	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401636	Rev D
				Date:	Monday, February 09, 2009	Sheet 2 of 45

Voltage Rails

Power Plane	Description	S1	S3	S5
VIN	Adapter power supply (19V)	N/A	N/A	N/A
B+	AC or battery power rail for power circuit.	N/A	N/A	N/A
+CPU_CORE	Core voltage for CPU	ON	OFF	OFF
+0.9VS	0.9V switched power rail for DDR terminator	ON	OFF	OFF
+1.05VS	1.05V switched power rail	ON	OFF	OFF
+1.5V	1.5V power rail for HDA	ON	ON	OFF
+1.5VS	1.5V switched power rail	ON	OFF	OFF
+1.8V	1.8V power rail for DDR	ON	ON	OFF
+2.5VS	2.5V switched power rail	ON	OFF	OFF
+3VALW	3.3V always on power rail	ON	ON	ON*
+3V	3.3V power rail for SB	ON	ON	OFF
+3V_LAN	3.3V power rail for LAN	ON	ON	ON
+3VS	3.3V switched power rail	ON	OFF	OFF
+5VALW	5V always on power rail	ON	ON	ON*
+5VS	5V switched power rail	ON	OFF	OFF
+VSB	VSB always on power rail	ON	ON	ON*
+RTCVCC	RTC power	ON	ON	ON*

Note : ON* means that this power plane is ON only with AC power available, otherwise it is OFF.

External PCI Devices

Device	IDSEL#	REQ#/GNT#	Interrupts

EC SM Bus1 address

Device	Address	Device	Address
Smart Battery	0001 011X b	ADI ADT7421	1001 100X b
EEPROM(24C16/02)	1010 000X b		
GMT G781-1	1001 101X b		

EC SM Bus2 address

ICH9M SM Bus address

Device	Address
Clock Generator (ICS9LPRS367, SLG8SP556V)	1101 001Xb
DDR DIMM0	1001 000Xb
DDR DIMM2	1001 010Xb

STATE	SIGNAL	SLP_S1#	SLP_S3#	SLP_S4#	SLP_S5#	+VALW	+V	+VS	Clock
Full ON		HIGH	HIGH	HIGH	HIGH	ON	ON	ON	ON
S1(Power On Suspend)		LOW	HIGH	HIGH	HIGH	ON	ON	ON	LOW
S3 (Suspend to RAM)		LOW	LOW	HIGH	HIGH	ON	ON	OFF	OFF
S4 (Suspend to Disk)		LOW	LOW	LOW	HIGH	ON	OFF	OFF	OFF
S5 (Soft OFF)		LOW	LOW	LOW	LOW	ON	OFF	OFF	OFF

Board ID / SKU ID Table for AD channel

Vcc	3.3V +/- 5%			
Ra/Rc/Re	100K +/- 5%			
Board ID	Rb / Rd / Rf	VAD_BID min	VAD_BID typ	VAD_BID max
0	0	0 V	0 V	0 V
1	8.2K +/- 5%	0.216 V	0.250 V	0.289 V
2	18K +/- 5%	0.436 V	0.503 V	0.538 V
3	33K +/- 5%	0.712 V	0.819 V	0.875 V
4	56K +/- 5%	1.036 V	1.185 V	1.264 V
5	100K +/- 5%	1.453 V	1.650 V	1.759 V
6	200K +/- 5%	1.935 V	2.200 V	2.341 V
7	NC	2.500 V	3.300 V	3.300 V

BOARD ID Table

Board ID	PCB Revision
0	0.1
1	0.2
2	0.3
3	1.0
4	1A
5	
6	
7	

BTO Option Table

BTO Item	BOM Structure
GM45	GM@
GL40	GL@
15"	15@
17"	17@
8114	8114@
8132	8132@

PCIE table

PCIE port1	Express Card(Reserved)
PCIE port2	Wireless Card
PCIE port3	PCIE LAN
PCIE port4	
PCIE port5	
PCIE port6	

USB table

	UHCI1	Port0	MB USB Conn.
EHCI1	UHCI2	Port1	
		Port2	
	UHCI3	Port3	CMOS Camera
EHCI2		Port4	Card Reader
		Port5	New Card(Reserved)
		Port6	MB USB Conn.
		Port7	
	UHCI4	Port8	Blue Tooth
	UHCI5	Port9	
		Port10	Wireless Card
	UHCI6	Port11	



SATA table

SATA port0	HDD
SATA port1	ODD
SATA port2	
SATA port3	
SATA port4	for 17" 2nd HDD
SATA port5	

Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHEMATIC, M/B A4851	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401636	Rev D
				Date:	Monday, February 09, 2009	Sheet 3 of 45



H_A#[3..35] H_A#[3..35]
 H_REQ#[0..4] H_REQ#[0..4]
 H_RS#[0..2] H_RS#[0..2]


FAN1 Conn










Layout Note:
 H_THERMDA&H_THERMDC Trace / Space = 10 / 10 mil

BSEL2	BSEL1	BSEL0	BCLK
0	0	0	266
0	1	0	200
0	1	1	166







Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev D
				401636	
Date: Monday, February 09, 2009		Sheet 5 of 45			








+CPU-CORE Decoupling	C, uF	ESR, mohm	ESL, nH
SPCAP, Polymer	4X330uF	6m ohm/4	1.8nH/6
MLCC 0805 X5R	32X22uF	3m ohm/32	0.6nH/32
	32X10uF	3m ohm/32	0.6nH/32
















Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev D
				401636	
Date: Monday, February 09, 2009				Sheet	7 of 45



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHMATIC, M/B A4851
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Size	B	Document Number	401636	Rev	D
Date:	Monday, February 09, 2009	Sheet	9	of	45




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHEMATIC, M/B A4851
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Size	Document Number	Customer	Rev		
	401636		D		
Date:	Monday, February 09, 2009	Sheet	10	of	45



CANTIGA ES_FCBGA1329
GL@

CANTIGA ES_FCBGA1329
GL@

Security Classification	Compal Secret Data		Title	Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	SCHEMATIC, M/B A4851	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Rev	D	Document Number	401636	Date:	Monday, February 09, 2009
Sheet	11	of	45		




U23I

VSS

CANTIGA ES, FCBG1329

GL®




U23J

VSS

CANTIGA ES, FCBG1329

GL®



VSS


VSS_NCTF

VSS_SCB








NC

GL®

Security Classification		Compal Secret Data		Title	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	SHEMATIC, M/B A4851	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev D
				Customer	401636
				Date:	Monday, February 09, 2009
				Sheet	13 of 45



DIMM1 REV H:9.2mm (BOT)






Security Classification	Compal Secret Data		Title	Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	SCHEMATIC, M/B A4851	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
			Document Number	75	Rev D
			401636		
			Date:	Monday, February 09, 2009	Sheet 15 of 45

FSLC	FSLB	FSLA	CPU	SRC	PCI
CLKSEL2	CLKSEL1	CLKSEL0	MHz	MHz	MHz
0	0	0	266	100	33.3
0	1	0	200	100	33.3
0	1	1	166	100	33.3

Table : ICS9LPRS387

CLK_REQ#	Control	Free-Run
CR#_10(WLAN)	PCIEX10	PCIEX0
CR#_6(MCH)	PCIEX6	PCIEX1
CR#_4(NEW CARD)	PCIEX4	
CR#_9(MINI CARDII)	PCIEX9	






SRC7(VGA_CLK): Discrete VGA[Enable] UMA[Disable]





Clock Generator

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev D
				Customer	401636
				Date	Monday, February 09, 2009
				Sheet	16 of 45

LCD POWER CIRCUIT




LCD/PANEL BD. Conn.




Security Classification	Compal Secret Data		Title	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Document Number
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Customer
				401636
				Rev D
Date: Monday, February 09, 2009				Sheet 17 of 45



CRT Connector





Place closed to chipset




Security Classification		Compal Secret Data		Title	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Compal Electronics, Inc.	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev D
				401636	
Date: Monday, February 09, 2009				Sheet	18 of 45





DMI for ESI-compatible operation
PCI_GNT#1 Low= DMI for ESI-compatible operation
 High= Default* (Internal pull-up)






A16 Swap Override Strap
PCI_GNT#3 Low= A16 swap override Enable
 High= Default*




Boot BIOS Strap		
PCI_GNT#0	SPI_CS#1	Boot BIOS Location
0	1	SPI
1	0	PCI
1	1	LPC*





For Express Card
For MINI_CARD1
For PCIE LAN





	Project_ID0	Project_ID1	Project_ID2
KAWF0	0	0	0
KAWH0	1	0	0



	Project_ID0	Project_ID1	Project_ID2
KAWF0	0	0	0
KAWH0	1	0	0







Internal TPM Strap
Low= Disable*
High= ITPM enable by MCH strap

DMI Termination Voltage
Low= Desktop used
High= Mobile* (Internal pull-up)



No Reboot Strap
SB_SPKR Low= "Default"
High= "No Reboot"

No used Integrated LAN, connecting LAN_RST# to GND




Compal Secret Data
2010/01/21

Security Classification	2009/01/21	Deciphered Date	2010/01/21
Issued Date	2009/01/21	Deciphered Date	2010/01/21

THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.


Title	401636
Title	401636
Date	Monday, February 09, 2009
Sheet	21 of 45






Security Classification		Compal Secret Data		Title	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Schematic, M/B A4851	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Size	Document Number	Date	Monday, February 09, 2009	Sheet	22 of 45
Custom	401636				

Compal Electronics, Inc.






Schematic, M/B A4851






SATA HDD Conn.




SATA ODD Conn.





Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev D
				Customer	401636
				Date:	Monday, February 09, 2009
				Sheet	23 of 45




Layout Notice : Place as close chip as possible.




Atheros
AR8132L 10/100 LAN




If overclocking, R39, L1 stuffed and R28 removed.
If not overclocking, R28, L1 stuffed and R39 removed.
AR8132:
L1=0ohm(SD00200080), C67=0.1uF(SE070104Z80). remove C80



Place Close to Pin 28, 32, 45, 46




Place Close to Pin15, 19, 25




Place Close to Pin8, 16, 22, 36, 39

Security Classification	Compal Secret Data		Title		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Schematic, M/B A4851		Rev D
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401636	
Date:	Monday, February 09, 2009	Sheet	25	of 45		



For Wireless LAN




Mini Card Power Rating			
Power	Primary Power (mA)		Auxiliary Power (mA)
	Peak	Normal	Normal
+3VS	1000	750	
+3V	330	250	250 (wake enable)
+1.5VS	500	375	5 (Not wake enable)




New Card Power Switch




New Card Socket (Left/TOP)




Bluetooth Conn.














USB CONN.



Security Classification	Compal Secret Data			Title	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Schematic, M/B A4851	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Date: Monday, February 09, 2009				Sheet	28 of 45



For EC Tools




Analog Board ID definition, Please see page 3.


Security Classification		Compal Secret Data	
Issued Date	2009/01/21	Deciphered Date	2010/01/21
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.			

Compal Electronics, Inc.	
Title	SCHEMATIC, M/B A4851
Document Number	401636
Date	Monday, February 09, 2009
Sheet	29 of 45


<BOM Structure>



ENE suggestion SPI Frequency over 66MHz
 SST: 50MHz
 MXIC: 70MHz
 ST: 40MHz




Reserved for BIOS simulator.
 Footprint SO8





To POWER/B

INT_KBD Conn.





15"


17"




Compal Footprint




	KSO0
KSI1	WL_BTN#
KSI2	TLOCK_BTN#
KSI3	
KSI4	
KSI5	



To TP/B Conn.




FOR EMI




Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHMATIC, M/B A4851
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Document Number	401636		Date	Monday, February 09, 2009	Sheet 30 of 45

Power Button


ON/OFF switch




HDA MDC Conn.




Power ON Circuit




Security Classification	Compal Secret Data			Compal Electronics, Inc.		
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHEMATIC, M/B A4851	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	401636	
Date:	Monday, February 09, 2009	Sheet	31	of	45	




Int. Speaker Conn.



LINE Out/Headphone Out




Change D24, D28 from RB751 to CH751





Security Classification		Compal Secret Data		Title	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Compal Electronics, Inc.	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev D
				401636	
				Date: Monday, February 09, 2009	Sheet 33 of 45


+5VALW TO +5VS











+3VALW TO +3V_SB(ICH8M AUX Power)




+3VALW TO +3VS





+1.5V to +1.5VS






Reserve for EMI request





Security Classification		Compal Secret Data		Title	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	SCHEMATIC, M/B A4851	
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev D
				401636	
Date: Monday, February 09, 2009				Sheet	34 of 45






Vin Detector			
	Min.	Typ	Max.
H-->L	16.976V	17.525V	17.728V
L-->H	17.430V	17.901V	18.384V




PH1 under CPU botten side :
 CPU thermal protection at 90 degree C
 Recovery at 70 degree C



PH2 near main Battery CONN :
 BAT. thermal protection at 90 degree C
 Recovery at 70 degree C





Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHMATIC, M/B A4851
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Document Number	401636	Rev D		Date	Monday, February 09, 2009
Sheet	36	of	45		



+3.3VALWP Ipeak=5.01A ; Imax=0.7*Ipeak=3.507A
 Choke DCRmax=33.6m ohm, DCRtyp=28m ohm
 Rds(on)=18m ohm(max) ; Rds(on)=15m ohm(typical)
 Vlimit=(5E-06 * 330K)/10=165mV
 Ilimit=165mV/18m ~ 165mV/15m
 =9.167A ~ 11A
 Iocp=Ilimit+Delta I/2
 =9.621A ~ 11.454A
 Delta I=0.9089A (Freq=300KHz)


+5VALWP Ipeak=6.97A ; Imax=0.7*Ipeak=4.879A
 Choke DCRmax=33.6m ohm, DCRtyp=28m ohm
 Rds(on)=18m ohm(max) ; Rds(on)=15m ohm(typical)
 Vlimit=(5E-06 * 330K)/10=165mV
 Ilimit=165mV/18m ~ 165mV/15m
 =9.167A ~ 11A
 Iocp=Ilimit+Delta I/2
 =9.627A ~ 11.460A
 Delta I=0.921A (Freq=400KHz)

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHMATIC, M/B A4851
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Size	Document Number	Customer	Date	Monday, February 09, 2009	Sheet 37 of 45
	401636				




CP Point Setting
 CP point=ladapter*85%
 90W adapter
 $V_{acset}=3.3 \cdot (100K / (64.9K + 100K)) = 2.001V$
 65W adapter $R = (100K \cdot 100K) / (100K + 100K) = 50K$
 $CP\ Point = (V_{acset} / V_{dac}) \cdot (0.1 / PR56) = 4.04A$
 $V_{acset} = 3.3 \cdot (50K / (50K + 64.9K)) = 1.436V$
 $CP\ POINT = (1.436V / 3.3V) \cdot (0.1 / 0.015) = 2.901A$

Input OVP : 22.3V
 Input UVP : 17.26V
 Fsw : 300KHz



VBATT	Calibrate#	VDAC=3.3
4.0V	L=0	
4.2V	1.8755V	
4.3V	2.8132V	
4.35V	H=3.3	

LI-4S : 18.0V---BATT-OVP=2.001V
BATT-OVP=0.1112 * VMB(18)
LI-3S : 13.5V---BATT-OVP=1.5012V
BATT-OVP=0.1112 * VMB(13.5)
Per cell=4.5V



Icharge Setting
 For 2200mA, $I_{charge} = 0.8C = 0.8 \cdot 2.2 = 3.52A$
 For 2400mA, $I_{charge} = 0.8C = 0.8 \cdot 2.4 = 3.84A$
 $I_{charge} = (V_{srset} / V_{dac}) \cdot (0.1 / PR64)$
 $IREF = ((100k / (100k + 17.4k)) / 3.3) \cdot (0.1 / 0.02) = I_{charge}$
IREF=0.7748 * Icharge

Security Classification **Compal Secret Data**
 Issued Date 2009/01/21 Deciphered Date 2010/01/21
 THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.

Compal Electronics, Inc.
SCHEMATIC, M/B A4851
 Title Document Number Rev D
 401636
 Date: Monday, February 09, 2009 Sheet 38 of 45


VFB=0.75V
 $V_o = VFB * (1 + PR100 / PR101) = 0.75 * (1 + 14K / 10K) = 1.8V$
 $F_{sw} = 262KHz$ (by Calculation Tool)

<V_o=1.8V> VFB=0.75V
 $V_o = VFB * (1 + PR100 / PR101) = 0.75 * (1 + 14K / 10K) = 1.8V$
 $F_{sw} = 262KHz$ Cout ESR=15m ohm R_{dson}(max)=11.5m
 R_{dson}(min)=9m
 I_{peak}=8.76A (by power budget), I_{max}=I_{peak}*0.7=6.132A
 $\Delta I = ((19-1.8) * (1.8/19)) / (L * F_{sw}) = 3.455A$
 $\Rightarrow 1/2 \Delta I = 1.7275A$
 $V_{trip} = R_{trip} * I_{0uA} = 13.7K * 10uA = 0.137V$
 $I_{ocpmin} = V_{trip} / R_{dsonmax} * 1.3 + 1.7275$
 $= 0.137 / (0.0115 * 1.3) + 1.7275 = 10.8914A$
 $I_{ocpmax} = (0.137 / (0.009 * 1.1)) + 1.7275 = 15.5659A$
 $I_{ocp} = 10.8914 - 15.5659A$

note: Reference AO4712&TPS51117 spec

VFB=0.75V
 $V_o = VFB * (1 + PR108 / PR109) = 0.75 * (1 + 12K / 30K) = 1.05V$
 $T_{on} = 19 * e^{-1.2 * 143000 * ((2/3) * V_o + 10mV) / 19} + 50ns$
 $= 2.645e-7$ us
 $\Rightarrow V_o / V_{in} = D = T_{on} / T_s \Rightarrow T_s = 3.35us$
 $F_{sw} = 261KHz$ (by calculation tool)


<V_o=1.05V> VFB=0.75V
 $V_o = VFB * (1 + PR108 / PR109) = 0.75 * (1 + 12K / 30K) = 1.05V$
 $F_{sw} = 261KHz$ Cout ESR=15m ohm
 R_{dson}(max.)=11.5m R_{dson}(min)=9m
 I_{peak}=9A, I_{max}=I_{peak}*0.7=6.3A
 $\Delta I = ((19-1.05) * (1.05/19)) / (L * F_{sw}) = 2.11A$
 $\Rightarrow 1/2 \Delta I = 1.055A$
 $V_{trip} = R_{trip} * I_{0uA} = 15K * 10uA = 0.15V$
 $I_{ocpmin} = V_{trip} / R_{dsonmax} * 1.3 + 1.055$
 $= 0.15 / (0.011 * 1.3) + 1.055 = 11.0892A$
 $I_{ocpmax} = (0.15 / (0.009 * 1.1)) + 1.055 = 16.2073A$
 $I_{ocp} = 11.0892A - 16.2073A$



Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHEMATIC, M/B A4851
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Document Number	Rev D
				401636	
Date:	Monday, February 09, 2009	Sheet	39	of	45

$V_{FB}=0.75V$
 $V_o=V_{FB} \cdot (1+PR116/PR117)=0.75 \cdot (1+10K/10K)=1.5V$
 $Ton=19 \cdot e^{-12 \cdot 143000 \cdot ((2/3) \cdot V_o + 100mV) / 19} + 50ns$
 $= 2.645e-7 \text{ us}$
 $\Rightarrow V_o/V_{in}=D=Ton/Ts \Rightarrow Ts=3.35us$
 $Fsw=262KHz$

$<V_o=1.5V> \quad V_{FB}=0.75V$
 $V_o=V_{FB} \cdot (1+PR116/PR117)=0.75 \cdot (1+10K/10K)=1.5V$
 $Fsw=262KHz \quad C_{out} ESR=15m \text{ ohm} \quad R_{dson(max)}=18m$
 $R_{dson(min)}=15m$
 $I_{peak}=3.51A, \quad I_{max}=2.457A$
 $\Delta I = ((19-1.5) \cdot (1.5/19)) / (L \cdot Fsw) = 2.3969A$
 $\Rightarrow 1/2 \Delta I = 1.198A$
 $V_{trip} = R_{trip} \cdot I_{0uA} = 7.5K \cdot 10uA = 0.075V$
 $I_{ocpmin} = V_{trip} / R_{dsonmax} \cdot 1.2 + 1.198$
 $= 0.075 / (0.018 \cdot 1.3) + 1.198 = 4.4035A$
 $I_{ocpmax} = (0.075 / (0.015 \cdot 1.1)) + 1.198A = 5.7439A$
 $I_{ocp} = 4.4035A - 5.7439A$



Security Classification	Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.				Customer Document Number
				401636
				Rev D
Date: Monday, February 09, 2009				Sheet 40 of 45

Version change list (P.I.R. List)

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
1		Add PC57 :10U_1206_25V_6M	0.1	38	Add PC57 :10U_1206_25V_6M	20080902	EVT
2		Add snubber for EMI	0.1	42	Add snubber for EMI	20080915	EVT
3		Shift PC99 from +cpu_B+ to B+	0.1	42	Shift PC99 from +cpu_B+ to B+	20080915	EVT
4		Add PJ15 to B+	0.1	39	Add PJ15 to B+	20080915	EVT
5		PR135 and PR140 change to 0_0603_5%	0.1	42	PR135 and PR140 change to 0_0603_5%	20080915	EVT
6	Charger feedback trace too long	ADD PC49	0.2	38	ADD PC49	20081124	DVT
7	Power sequence error	+1.5VP: enable pin change from SUSP# to SYSON +0.9VSP: enable pin change from SUSP# to SUSP	0.2	40	+1.5VP: enable pin change from SUSP# to SYSON +0.9VSP: enable pin change from SUSP# to SUSP	20081124	DVT
8	Load line over spec	PR131: change to 5.76K_0402_1%	0.2	42	PR131: change to 5.76K_0402_1%	20081124	DVT
9	3D hang	Charger PR63:change to 2.2_0603_5% PR66:Add 4.7_1206_5% PC56:Add 680P_0402_50V7K	0.2	38	Charger PR63:change to 2.2_0603_5% PR66:Add 4.7_1206_5% PC56:Add 680P_0402_50V7K	20081124	DVT
10	3D hang	+1.8VP PR97:change to 2.2_0603_5% PR160:Add 4.7_1206_5% PC119:Add 680P_0402_50V7K	0.2	39	+1.8VP PR97:change to 2.2_0603_5% PR160:Add 4.7_1206_5% PC119:Add 680P_0402_50V7K	20081124	DVT
11	3D hang	+1.05VSP PR105:change to 2.2_0603_5% PR161:Add 4.7_1206_5% PC120:Add 680P_0402_50V7K Add bead between B+ and 1.05VSP_B+	0.2	39	+1.05VSP PR105:change to 2.2_0603_5% PR161:Add 4.7_1206_5% PC120:Add 680P_0402_50V7K Add bead between B+ and 1.05VSP_B+	20081124	DVT
12	EMI solution	+5VALW/+3VALW PR37: Add 4.7_1206_5% PR41: Add 4.7_1206_5% PC33: Add 680P_0402_50V7K PC34: Add 680P_0402_50V7K PR38: change to 2.2_0603_5% PR39: change to 2.2_0603_5%	0.2	37	+5VALW/+3VALW PR37: Add 4.7_1206_5% PR41: Add 4.7_1206_5% PC33: Add 680P_0402_50V7K PC34: Add 680P_0402_50V7K PR38: change to 2.2_0603_5% PR39: change to 2.2_0603_5%	20081124	DVT
13	EMI solution	+CPU CORE PR158: Add 4.7_1206_5% PR159: Add 4.7_1206_5% PC117: Add 680P_0402_50V7K PC118: Add 680P_0402_50V7K PR135: change to 2.2_0603_5% PR140: change to 2.2_0603_5%	0.2	42	+CPU CORE PR158: Add 4.7_1206_5% PR159: Add 4.7_1206_5% PC117: Add 680P_0402_50V7K PC118: Add 680P_0402_50V7K PR135: change to 2.2_0603_5% PR140: change to 2.2_0603_5%	20081124	DVT
16	EMI solution	+CPU CORE PC122: Reserve 2200P_0402_50V7K on B+	0.2	42	+CPU CORE PC122: Reserve 2200P_0402_50V7K on B+	20081124	DVT
17	EMI solution	+1.05VSP PR105 : change to 2.2_0603_5% PL12 : Add HCB4532KF-800T90_1812 PC124: Reserve 2200P_0402_50V7K on B+ PC125: Reserve 2200P_0402_50V7K on B+	0.2	39	+1.05VSP PR105 : change to 2.2_0603_5% PL12 : Add HCB4532KF-800T90_1812 PC124: Reserve 2200P_0402_50V7K on B+ PC125: Reserve 2200P_0402_50V7K on B+	20081124	DVT

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHMATIC, M/B A4851
<small>THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF RESEARCH AND DEVELOPMENT DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.</small>				Document Number	401636
Date:	Monday, February 09, 2009	Sheet	42	of	45

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
18	Battery & HW solution	Charger PQ20:Reserve(@)SI2301BDS-T1-E3_SOT23-3 PQ21:Reserve(@)SSM3K7002FU_SC70-3 PR82:Reserve(@)887K_0402_1% PR84:Reserve(@)0_0402_5% PC68:Reserve(@)1000P_0402_50V7K PR87:change to 210K_0402_1% PR88:change to 499K_0402_1% +1.05VSP PR104: Reserve(@)0_0402_5% PR110: change to 10K_0402_5% PR79 : Add 0.1U_0402_16V7K +1.5VP PR112: Reserve(@) 0_0402_5%	0.2	38 39 40	Charger PQ20:Reserve(@)SI2301BDS-T1-E3_SOT23-3 PQ21:Reserve(@)SSM3K7002FU_SC70-3 PR82:Reserve(@)887K_0402_1% PR84:Reserve(@)0_0402_5% PC68:Reserve(@)1000P_0402_50V7K PR87:change to 210K_0402_1% PR88:change to 499K_0402_1% +1.05VSP PR104: Reserve(@)0_0402_5% PR110: change to 10K_0402_5% PR79 : Add 0.1U_0402_16V7K +1.5VP PR112: Reserve(@) 0_0402_5%	20081124	DVT
19	EMI soultion	+3VALWP/+3VALW PC100: 680P_0402_50V7K PC130: 1000P_0402_50V_7K PC131: 1000P_0402_50V_8J +1.5VP ADD PR113: 2.2_0603_5% ADD PR163: 4.7_1206_5% ADD PC121: 680P_0402_50V7K ADD PL16 :FBMA-L11-322513-151LMA50T_1210	0.3	35 40	+3VALWP/+3VALW PC100: 680P_0402_50V7K PC130: 1000P_0402_50V_7K PC131: 1000P_0402_50V_8J +1.5VP ADD PR113: 2.2_0603_5% ADD PR163: 4.7_1206_5% ADD PC121: 680P_0402_50V7K ADD PL16 :FBMA-L11-322513-151LMA50T_1210	20081224	PVT
20	POWER Solution	+3VALWP/+5VALWP RT8206- Fix output 5V for HW no HDMI	0.3	37	+3VALWP/+5VALWP PR42: Reserve 61.9K_0402_1%	20090111	PVT

COMPAL ELECTRONICS	
Title SCHEMATIC, M/B A4851	
Size	Document Number 401636
Date: Monday, February 09, 2009	Rev D
Sheet 43 of 45	

Item	Fixed Issue	Reason for change	Rev.	PG#	Modify List	Date	Phase
21	EMI solution	Reduce the Noise	0.3	37	Add PL 13 (HCB4532KF-800T90_1812) Add PL 14 (FBMA-L11-322513-151LMA50T_1210) Add PL 15 (FBMA-L11-322513-151LMA50T_1210) Add PC126 (100P_0402_50V8J) Add PC128 (100P_0402_50V8J) Add PC129 (1000P_0402_50V7K)	20090112	PVT
22	Battery solution	Adjust battery voltage	0.3	38	Reserve PR86 (100K_0402_1%)	20090112	PVT
23	Saturation current	1.8u choke saturation current too small	0.3	39	change PL7 to 1UH_PCMB103E-1R0MS_20A_20%	20090113	PVT
24	GP BOM	Tolerance: K:+-10% ; J:+-5%	0.4	42	Change PC106 to 33P_0402_50V8J Change PC108 to 33P_0402_50V8J Change PC110 to 33P_0402_50V8J Change PC114 to 33P_0402_50V8J	20090123	PVT

COMPAL ELECTRONICS			
Title			
SCHEMATIC, M/B A4851			
Size	Document Number		Rev
A	401636		D
Date:	Monday, February 09, 2009	Sheet	44 of 45

11/11

- 1. Page 17;Un-POP R412,Q35
- 2. Page 32;Un-POP R340,POP R339
- 3. Page 32;Un-POP D3
- 4. Change C13,C269,C282,C482 P/N to SGA1933D10 (ESR From 15 to 9 ohm)
- 5. DEL HDMI Schematic (del HDMI@/NHDMI@)

11/19

- 1. Change C538,C539 to B size 150U
- 2. POP D11,D12,D29 and change P/N to SCA00000A00

11/24

- 1.Add LAN_CLKREQ# on CLK Gen and AR8132

11/25

- 1.Add C563~C568 for EMI request
- 2.Add L44 for EMI request
- 3.Add +3VS and +3V for SB HDA bus
- 4.Add 0 ohm resistor for Audio DVDD_IO bus
- 5.Add 0 ohm between +1.5V and +1.5VS
- 6.Add 3VS_GATE schematic on +3VALW to +3VS
- 7.remove c318 and D16
- 8.add R400 and C439 for soft-off
- 9.add R244 to connect +1.5v to +1.5vs

11/25

- 1. Change R325,R311 Form 11ohm to 22 ohm
- 2. Change D21,D24,D28 from RB751 to CH751
- 3. Reserve C485,C282

12/18

- 1. Change R299 to 47K,ADD R470 (100K)

1/20

- 1. Change R299 to 22K and R470 to 120K
- 2. Add R570 (150U) in pgae 23
- 3.change board ID R273 to 33K

CONFIDENTIAL

Security Classification		Compal Secret Data		Compal Electronics, Inc.	
Issued Date	2009/01/21	Deciphered Date	2010/01/21	Title	SCHEMATIC, M/B A4851
THIS SHEET OF ENGINEERING DRAWING IS THE PROPRIETARY PROPERTY OF COMPAL ELECTRONICS, INC. AND CONTAINS CONFIDENTIAL AND TRADE SECRET INFORMATION. THIS SHEET MAY NOT BE TRANSFERRED FROM THE CUSTODY OF THE COMPETENT DIVISION OF R&D DEPARTMENT EXCEPT AS AUTHORIZED BY COMPAL ELECTRONICS, INC. NEITHER THIS SHEET NOR THE INFORMATION IT CONTAINS MAY BE USED BY OR DISCLOSED TO ANY THIRD PARTY WITHOUT PRIOR WRITTEN CONSENT OF COMPAL ELECTRONICS, INC.					
Date:	Monday, February 09, 2009	Sheet	45	of	45

www.s-manuals.com